

OLYMPIAN INTRODUCES.....

Engine Division
North American Edition
July 2004

NEW MODELS POWERED BY THE 1100C SERIES ENGINE

Market: Electric Power

Application: Olympian Generator Sets

Description: We are pleased to introduce new models to our range of generator sets. Powered by the Perkins 1100C series engines these models demonstrate our commitment to compliance with current environmental legislation while maintaining the design and performance capability of the existing product. The new range replaces current models as follows:

Old Model	New Model
D25P2	D25P4*
D30P4	D30P6*
D40P2	D40P4*
D50P2	D50P4*
D60P2	D60P4*
D25P2S	D25P4S*
D30P2S	D30P4S*
D40P2S	D40P4S*
D50P2S	D50P4S*
XQ30P2	XQ30P4*
na	XQ45P2*
XQ60P2	XQ60P4*

*Tier II Compliant

Please note: models D20P2 and D20P2S are no longer available to order from your price list. Model D20P4, one of our models powered by the 400 series engine, can be chosen as an alternative.



WHERE THE WORLD TURNS FOR POWER

OLYMPIAN INTRODUCES

Output

Generator set models with engine/generator combinations are as follows

Generator Set Model	Engine	Generator	Output Rating 60 Hz	
			Prime kW (kVA)	Standby kW (kVA)
D25P4	1104C-44G	LL1014Q	22.8 (28.5)	25.0 (31.3)
D30P6	1104C-44G	LL1014S	27.0 (33.8)	30.0 (37.5)
D40P4	1104C-44G	LL2014B	36.0 (45.0)	40.0 (50.0)
D50P4	1104C-44TG1	LL2014D	45.0 (56.3)	50.0 (62.5)
D60P4	1104C-44TG1	LL2014H	54.6 (68.2)	60.0 (75.0)
D25P4S	1104C-44G	LLB1014Q	22.5 (22.5)	25.0 (25.0)
D30P4S	1104C-44G	LLB1014S	27.0 (27.0)	30.0 (30.0)
D40P4S	1104C-44G	LLB2014B	36.0 (36.0)	40.0 40.0)
D50P4S	1104C-44TG1	LLB2014C	45.0 (45.0)	50.0 (50.0)
XQ30P4	1104C-44G	LL2014B	27.0 (33.8)	30.0 (37.5)
XQ45P2	1104C-44G	LL2014D	41.0 (51.3)	45.0 (56.3)
XQ60P4	1104C-44TG1	LL2014J	54.0 (67.5)	60.0 (75.0)

Features:

Offering

- **Environmental standards**
Compliance with EPA Tier II emissions standard
UL2200 and CSA approval offered as option
- **Engine features**
4 cylinder 1100 series
Electrical system 12 VDC
- **Control System**
2001 auto start control panel
- **Mounting arrangement**
Heavy duty fabricated steel base with lifting points
Anti vibration pads between engine and baseframe
- **Equipment Finish**
All electroplated hardware
Anticorrosive paint protection
High gloss polyurethane paint for durability and scuff resistance
- **Full Range of Options**
Sound attenuated enclosure
Super sound attenuated enclosure
Weatherproof enclosure
Single point lift for weatherproof enclosure
Upgrade to 4001, 4001E control panel
UL listed closed top-diked skid mounted fuel tank base

WHERE THE WORLD TURNS FOR POWER

OLYMPIAN INTRODUCES

Availability:	Available to order 29 July 2004
----------------------	--

Pricing:	Refer to Caterpillar Price List
-----------------	--

Marketing Tools:	New spec sheets available on the EMC
	LEHF4788-00 D25P4 to D60P4 Diesel Generator Sets
	LEHF4785-00 XQ30P4
	LEHF4786-00 XQ45P2
	LEHF4787-00 XQ60P4
	LEHX0428-07 CAE D20P1 - D100P4, D20P1S - D100P4S
	LEHX0426-07 CAS D20P1 - D100P1, D20P1S - D100P1S
	LEHX0109-07 CAWB D20P1 - D200P4, D20P1S - D100P1S
	LEHX0470-05 UL Listed fuel Tanks
	LEHX0401-05 FSK - Skidbase in lieu of basetank for enclosures
	LEHX9606-06 Generator Set Ratings
	LEHX0647-05 Generator Set/Alternator Correlation Table

The information contained in this publication may be considered confidential. Use discretion when distributing.
www.CAT-ElectricPower.com

© 2004 Caterpillar
Printed in USA
All rights reserved.

LEXF4789-00