



COMPANY IDENTITY: THIRD COAST TERMINALS
PRODUCT IDENTITY: COOLANT PGI/DI 55/45
REVISION DATE:

DATE: 02/23/2006
PAGE 1 OF 5

MATERIAL SAFETY DATA SHEET

THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD)
IMPORTANT: Read this MSDS before handling & disposing of this product.
Pass this information on to employees, customers, & users of this product.

SECTION 1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION / HAZARD RATINGS

PRODUCT IDENTITY: COOLANT PGI/DI 55/45
COMPANY IDENTITY: THIRD COAST TERMINALS
COMPANY ADDRESS: 1871 MYKAWA RD.
COMPANY CITY: PEARLAND, TEXAS 77581
COMPANY PHONE: 1-281-412 0275
CHEMTREC PHONE: 1-800-424-9300

HAZARD RATINGS:
HEALTH (NFPA): 1
HEALTH (HMIS): 0
FLAMMABILITY: 0
REACTIVITY: 0

SECTION 2. INGREDIENT & REGULATORY INFORMATION

All components of this product are on the TSCA list.

SARA TITLE III Section 313 Supplier Notification

This product does not contain any toxic chemical subject to reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372. This information must be included in all MSDSs that are copied and distributed for this material.

SARA TITLE III INGREDIENTS	CAS#	WT. % (REG SECTION)	RQ (LBS.)
Propylene Glycol	57-55-6	55 %	N/A

SARA SECTION 311 / 312 HAZARDS: Acute Health.

MATERIAL	CAS#	TWA+ (OSHA) TLV (ACGIH)	HAP
Propylene Glycol	57-55-6	None Known	None
RO/DI Water		None Known	None

No components of this product are EPA Hazardous Air Pollutants (HAP)

DISTRIBUTOR NAME: THIRD COAST TERMINALS
PRODUCT IDENTITY: COOLANT PGI/DI 55/45
REVISION DATE:

DATE: 02/23/2006
PAGE: 2 of 5

SECTION 2. INGREDIENT & REGULATORY INFORMATION (CONT.)

THIS PRODUCT MEETS REQUIREMENTS OF SOUTHERN
CALIFORNIA AQMD RULE 443.1 & SIMILAR REGULATIONS

CALIFORNIA PROPOSITION 65:

This product does not contain any known chemical known to the State of California to cause cancer or reproductive damage.

DOT SHIPPING NAME: Not regulated
DRUM: None

SECTION 3. HAZARDS IDENTIFICATION

MATERIAL	CAS#	LOWEST KNOWN LETHAL DOSE DATA
----------	------	-------------------------------

THRESHOLD LIMIT VALUE:

CONTAINS: Propylene Glycol
RO / DI Water

ACUTE HAZARDS

EYE & SKIN CONTACT:

Primary irritation to eyes, redness, tearing, blurred vision.
Liquid can cause eye irritation. Wash thoroughly after handling.
Not normally considered a skin hazard.
Use normal good hygiene practices when handling

INHALATION:

No special respiratory protection equipment is recommended for normal use.
Use with adequate ventilation.

SWALLOWING:

No significant signs or symptoms indicative of any adverse health hazard are expected under conditions of normal use. Excessive ingestion may cause abdominal discomfort, nausea, and diarrhea.

SUBCHRONIC HAZARDS/CONDITIONS AGGRAVATED

CONDITIONS AGGRAVATED:

This material or its emission may aggravate existing eye disease.

DISTRIBUTOR NAME: THIRD COAST TERMINALS
PRODUCT IDENTITY: COOLANT PGI/DI 55/45
REVISION DATE:

DATE: 02/23/2006
PAGE: 3 OF 5

SECTION 3. HAZARDS IDENTIFICATION (CONTINUED)
CHRONIC HAZARDS
CANCER AND REPRODUCTIVE DAMAGE HAZARDS

This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or ACGIH,
As of this date, greater or equal to 0.1%.

SECTION 4. FIRST AID MEASURES AND PROCEDURES

EYE CONTACT:

Flush eyes with large amounts of water for at least 15 minutes, lifting eyelids to insure complete flushing of surface. If irritation persists get medical attention.

SKIN CONTACT:

Wash skin with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.

INHALATION:

No significant signs or symptoms indicative of any adverse health hazard are expected to occur as a result of inhalation exposure.

SWALLOWING:

If victim is fully conscious and alert, give a pint of water. Have medical personnel determine if evacuation of stomach or induction of vomiting is necessary.

SECTION 5. FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE:

Not Determined

LOWER FLAMMABLE LIMITS IN AIR (% by vol.):

Not determined

FLASH POINT (TEST METHOD): TCC

Not determined

FLAMMABILITY CLASSIFICATION:

Not determined

EXTINGUISHING MEDIA:

Use water spray, dry chemical, or carbon dioxide to extinguish flames.

SPECIAL FIRE FIGHTING PROCEDURES:

No special equipment or procedures required.

UNUSUAL EXPLOSION AND FIRE PROCEDURES:

None

DISTRIBUTOR NAME: THIRD COAST TERMINALS
PRODUCT IDENTITY: COOLANT PGI/DI 55/45
REVISION DATE:

DATE: 02/23/2006
PAGE: 4 OF 5

SECTION 6. ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES:

Contain spill if possible. Contain with absorbent materials such as clay or soil and shovel up.
Mop up and dispose of properly. Avoid eye and skin contact.

WASTE DISPOSAL METHOD:

Recycle or Dispose of according to local, state, and federal health, safety, and pollution regulations.

HANDLING:

Minimum handling temperatures should be maintained.

STORAGE:

Store in a cool ventilated area.
Keep container closed.
Periods of exposure to high temperatures should be minimized.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS:

Ventilate to keep vapors of this material at a minimum. Consult Safety Equipment Supplier

VENTILATION:

Local Exhaust:	Necessary
Mechanical:	Acceptable
Special:	None

RESPIRATORY PROTECTIONS:

Airborne concentration should be kept to the lowest possible level. If vapor, dust, or mist is generated, and the occupational exposure limit of the product is exceeded, use appropriate NIOSH or MSHA approved purifying or air supplied respirator.

DISTRIBUTOR NAME: THIRD COAST TERMINALS
PRODUCT IDENTITY: COOLANT PGI/DI 55/45
REVISION DATE:

DATE: 02/23/2006
PAGE: 5 OF 5

SECTION 9. PHYSICAL DATA

APPEARANCE:	Clear, Colorless Liquid
ODOR:	Mild
BOILING RANGE:	Not Determined
GRAVITY @ 60°F:	
SPECIFIC GRAVITY (Water = 1):	1.045
POUNDS/GALLON:	8.70
VOC=S (VAPOR PRESSURE >0.44 LBS./SQ. IN) (LBS./GAL):	< 1 mm Hg at 25° C (77° F)
TOTAL VOLATILE ORGANIC COMPOUNDS (TVOC) (g/L):	Not Determined
VAPOR PRESSURE (mm of Hg) @ 20°C:	1.0
NONEXEMPT VOC PARTIAL PRESSURE: (mm of Hg @ 20°C	0.0
VAPOR DENSITY (air = 1):	2.5
WATER ABSORPTION:	Complete

SECTION 10. REACTIVITY DATA

STABILITY:
Stable.

CONDITIONS TO AVOID:
Air Water Heat Strong Oxidizers Others None of these X

HAZARDOUS DECOMPOSITION PRODUCT:
Carbon Dioxide and Carbon Monoxide from burning.

HAZARDOUS POLYMERIZATION:
Will not occur.

NOTICE

The supplier disclaims all expressed or implied warranties of fitness or merchantability for a specific use, with respect to the product, or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturer and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.